SEQUENCE LISTING

<110>	King Abra				,										
	Pugs				1										
<120>	Modu	Modulation of Pericyte Proliferation													
<130>	2712	27129/36739A													
<150> <151>		60/250,542 2000-12-01													
<160>	15	15													
<170>	Pate	PatentIn version 3.1													
<210> <211> <212> <213>															
<221> <222> <223>		(14	191)												
<220> <221> <222> <223>				ı											
<220> <221> <223>			ture												
										54					
cct to Pro Cy	jc aac rs Asn	gcg Ala -20	ccg Pro	aga Arg	tgg Trp	gtg Val	tcc ser -15	ctg Leu	atg Met	gtg Val	ctc Leu	gtc Val -10	gcc Ala	ata Ile	102
ggc ac Gly Th	-				_	_				-	_	_			150
tcc ca Ser Gl 10															198
cag aa Gln Ly															246
aag at Lys Il															294

	cgt Arg															342
	ggc Gly 75		_				_		_			_		_		390
	tgg Trp	_	_		_	_				_	_				_	438
ctg Leu	agc Ser	ata Ile	gaa Glu	ggc Gly 110	atg Met	tcc Ser	att Ile	tcg Ser	gct Ala 115	gat Asp	ctg Leu	aag Lys	ctg Leu	ggc Gly 120	agt Ser	486
	ccc Pro	_			_					_		-	_	_	_	534
	atc Ile															582
	atc Ile 155															630
	aac Asn															678
	caa Gln															726
	gct Ala															774
	acc Thr															822
	aat Asn 235					_				_				_	_	870
	gac Asp	_	_	_		_				-						918
gcc Ala	GJA aaa	ctt Leu	gta Val	tac Tyr 270	caa Gln	gag Glu	gct Ala	gly ggg	gtc Val 275	ttg Leu	aag Lys	atg Met	acc Thr	ctt Leu 280	aga Arg	966
_	gac Asp				_					_	_			_		1014
ttt Phe	gga Gly	acc Thr 300	ttc Phe	cta Leu	cct Pro	gag Glu	gtg Val 305	gcc Ala	aag Lys	aag Lys	ttt Phe	ccc Pro 310	aac Asn	atg Met	aag Lys	1062

a Ser Thr Pro Pro		1110						
		1158						
		1206						
		1254						
		1302						
eu Leu Gln Asp Ile		1350						
		1398						
		1446						
	•	1491						
ctgtca gccgcacctg	ttcctgatgg gctgtggggc	1551						
cctctc cagatettaa	ccaagagccc cttgcaaact	1611						
tettegaete agatteagaa atgatetaaa caegaggaaa cattatteat tggaaaagtg								
gagett ettteaaggg	ctaaggctgc agagatattt	1731						
cctccaggaa tcgtgtttca attgtaacca agaaatttcc atttgtgctt catgaaaaaa								
		1813						
	a Ser Thr Pro Pro co co cot gcc gtg gat cr Pro Ala Val Asp 340 gg gct tcc ctc ttc cu Ala Ser Leu Phe 355 cc agc gcc gag tcc cl Ser Ala Glu Ser 370 cg ctc ctg gaa ctg cu Leu Gln Asp Ile co cg gtt aac gag aaa cg Val Asn Glu Lys 420 ga gtc cag ctc tac cg Val Gln Leu Tyr 435 cg ttc ggt gca gac cgu Phe Gly Ala Asp 450 gctgtca gccgcacctg ccctctc cagatettaa atctaaa cacgaggaaa	ac cet gee gtg gat gtc cag gec ttt gec at Pro Ala Val Asp 340 ag get tee ete tte etg att gge atg cae at Ala Ser Leu Phe Leu Ile Gly Met His 355 ac age gee gag tee aac agg ett gtg gga atg ser Asn Arg Leu Val Gly 370 ag ete etg gaa etg aag cae tea aat att his Ser Ala Glu Leu Lys His Ser Asn Ile 390 ag etg etg eag gat ate atg aac tae att gta 190 ag etg etg eag gat ate atg aac tae att gta 190 ag etg etg eag gat ate atg aac tae att gta 190 ag gtt aac gag aaa eta Asn Tyr Ile Val 405 ag gtt aac gag aaa eta eag aaa gge tte 190 ag gtt aac gag aaa eta eag aaa gge tte 190 ag gtt aac gag aaa eta eag aaa gge tte 190 ag gtt aac gag aaa eta eag aaa gge tte 190 ag gtt aac gag aaa eta eag aaa gge tte 190 ag gtt aac gag aaa eta eag aaa gge etg eg val Asn Glu Lys Leu Gln Lys Gly Phe 420 ag gtt eag etc tae aac gta gtg ett eag en Val Gln Leu Tyr Asn Val Val Leu Gln 440 ag tte ggt gea gac gtt gte tat aaa eu Phe Gly Ala Asp Val Val Tyr Lys 450 ag etgtea geegeacetg tteetgatgg getgtgggge eectete eagatettaa ceaagagece ettgeaaact atetaaa cacgaggaaa cattatteat tggaaaagtg egagett ettteaagg etaaggetge agagatattt						

<210> 2 <211> 487 <212> PRT <213> Homo sapiens

<220>

<221> misc_feature

<223> rBPI

<400> 2

Met Arg Glu Asn Met Ala Arg Gly Pro Cys Asn Ala Pro Arg Trp Val -30 -25 -20

Ser Leu Met Val Leu Val Ala Ile Gly Thr Ala Val Thr Ala Ala Val
-15 -5 -1 1

Asn Pro Gly Val Val Val Arg Ile Ser Gln Lys Gly Leu Asp Tyr Ala
5 10 15

Ser Gln Gln Gly Thr Ala Ala Leu Gln Lys Glu Leu Lys Arg Ile Lys 20 25 30

Ile Pro Asp Tyr Ser Asp Ser Phe Lys Ile Lys His Leu Gly Lys Gly 35 40 45

His Tyr Ser Phe Tyr Ser Met Asp Ile Arg Glu Phe Gln Leu Pro Ser 50 60 65

Ser Gln Ile Ser Met Val Pro Asn Val Gly Leu Lys Phe Ser Ile Ser 70 75 80

Asn Ala Asn Ile Lys Ile Ser Gly Lys Trp Lys Ala Gln Lys Arg Phe 85 90 95

Leu Lys Met Ser Gly Asn Phe Asp Leu Ser Ile Glu Gly Met Ser Ile 100 105 110

Ser Ala Asp Leu Lys Leu Gly Ser Asn Pro Thr Ser Gly Lys Pro Thr 115 120 125

Ile Thr Cys Ser Ser Cys Ser Ser His Ile Asn Ser Val His Val His 130 145

Ile Ser Lys Ser Lys Val Gly Trp Leu Ile Gln Leu Phe His Lys Lys
150
160

Ile Glu Ser Ala Leu Arg Asn Lys Met Asn Ser Gln Val Cys Glu Lys 165 170 175

Val Thr Asn Ser Val Ser Ser Lys Leu Gln Pro Tyr Phe Gln Thr Leu 180 185 190

Pro Val Met Thr Lys Ile Asp Ser Val Ala Gly Ile Asn Tyr Gly Leu 195 200 205

Val Ala Pro Pro Ala Thr Thr Ala Glu Thr Leu Asp Val Gln Met Lys 210 225

Gly Glu Phe Tyr Ser Glu Asn His His Asn Pro Pro Pro Phe Ala Pro 230 235 240

Pro Val Met Glu Phe Pro Ala Ala His Asp Arg Met Val Tyr Leu Gly

Leu Ser Asp Tyr Phe Phe Asn Thr Ala Gly Leu Val Tyr Gln Glu Ala

Gly Val Leu Lys Met Thr Leu Arg Asp Asp Met Ile Pro Lys Glu Ser

Lys Phe Arg Leu Thr Thr Lys Phe Phe Gly Thr Phe Leu Pro Glu Val

Ala Lys Lys Phe Pro Asn Met Lys Ile Gln Ile His Val Ser Ala Ser 310 315

Thr Pro Pro His Leu Ser Val Gln Pro Thr Gly Leu Thr Phe Tyr Pro 325 330

Ala Val Asp Val Gln Ala Phe Ala Val Leu Pro Asn Ser Ser Leu Ala 340 345

Ser Leu Phe Leu Ile Gly Met His Thr Thr Gly Ser Met Glu Val Ser

Ala Glu Ser Asn Arg Leu Val Gly Glu Leu Lys Leu Asp Arg Leu Leu 380

Leu Glu Leu Lys His Ser Asn Ile Gly Pro Phe Pro Val Glu Leu Leu

Gln Asp Ile Met Asn Tyr Ile Val Pro Ile Leu Val Leu Pro Arg Val

Asn Glu Lys Leu Gln Lys Gly Phe Pro Leu Pro Thr Pro Ala Arg Val 420 425

Gln Leu Tyr Asn Val Val Leu Gln Pro His Gln Asn Phe Leu Leu Phe 435 440 445

Gly Ala Asp Val Val Tyr Lys 450

<210> 3

<211> 11 <212> PRT <213> Homo sapiens

<220>

<221> MISC FEATURE

```
<223> XMP.679
<220>
<221> SITE
<222> (5)..(5)
<223> /label=Substituted-Ala note=position 5 is 1- naph-ala
<220>
<221>
      SITE
      (9)..(9)
<222>
<223> /label=Substituted-Ala note=position 9 is 1- naph-ala
<220>
<221> SITE
<222> (1)..(11)
<223> /Label=D Amino Acids/note=Positions 1-11 are D-Amino Acids
<220>
<221> SITE
<222>
      (11)..(11)
<223> AMIDATION /label=Amidation note=The C-terminus is Amidated
<400> 3
Lys Leu Phe Lys Ala Gln Ala Lys Ala Lys Gly
<210> 4
<211> 11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<223> XMP.627
<220>
<221> SITE
<222> (5)..(5)
<223> /label=Substituted Ala note=position 5 is 1-naph-ala
<220>
<221> SITE
<222>
      (9)..(9)
<223> /label=Substituted Ala note=position 9 is 1- naph-ala
<220>
<221> SITE
<222>
      (1)..(11)
<223> /Label=D Amino Acids/note=Positions 1-11 are D-amino acids
<220>
<221> SITE
```

```
<222> (11)..(11)
<223> AMIDATION /label=Amidation note=The C-terminus is Amidated
<400> 4
Lys Leu Phe Arg Ala Gln Ala Lys Ala Lys Gly
<210> 5
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<223> XMP.664
<220>
<221> SITE
<222> (1)..(8)
<223> Positions 1-8 are D-amino acids
<220>
<221> SITE
<222> (5)..(5)
<223> Position 5 is substituted with 1- naph-ala
<220>
<221>
       SITE
<222> (1)..(1)
<223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221>
       SITE
<222> (8)..(8)
<223> AMIDATION=The C-terminus is Amidated
<400> 5
Lys Leu Phe Arg Ala Gln Ala Lys
<210> 6
<211>
       11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<223> XMP.728
<220>
<221> SITE
```

```
<222>
       (1)..(11)
 <223> Positions 1-11 are D-amino acids
 <220>
 <221> SITE
 <222>
       (5)..(5)
 <223> Position 5 is substituted with 4-biphenyl-ala
 <220>
 <221>
       SITE
 <222>
       (9)..(9)
 <223> Position 9 is substituted with 4-biphenyl-ala
<220>
<221>
       SITE
<222>
       (11)..(11)
<223> AMIDATION=The C-terminus is Amidated
<400> 6
Lys Leu Phe Lys Ala Gln Ala Lys Ala Lys Gly
<210> 7
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE <223> XMP.711
<220>
<221>
       SITE
<222>
       (1)..(1)
<223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222>
      (3)..(3)
<223> Position 3 is substituted with 4-biphenyl-ala
<220>
<221> SITE
<222>
       (1)..(2)
<223> Positions 1-2 are D-amino acids
<220>
<221> SITE
<222> (3)..(3)
<223> Position 3 is L-amino acid
```

```
<220>
 <221> SITE
 <222> (4)..(5)
 <223> Positions 4-5 are D-amino acids
<220>
 <221>
       SITE
<222>
       (5)..(5)
       AMIDATION=The C-terminus is Amidated
 <223>
<400> 7
Lys Leu Ala Arg Lys
<210>
       8
<211>
       6
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<223> XMP.852
<220>
<221>
       SITE
<222> (1)..(1)
<223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222> (5)..(5)
<223> Position 5 is substituted with 1- naph-ala
<220>
<221> SITE <222> (1)..(6)
<223> Positions 1-6 are D-amino acids
<220>
<221> SITE
<222>
      (6)..(6)
<223> AMIDATION=The C-terminus is Amidated
<400> 8
Lys Leu Phe Arg Ala Gln
<210> 9
<211> 5
<212> PRT
<213> Homo sapiens
```

```
<220>
 <221> MISC FEATURE
 <223> XMP.861
 <220>
 <221>
       SITE
 <222>
       (1)..(1)
 <223>
       Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222>
       (5)..(5)
<223> Position 5 is substituted with 1- naph-ala
<220>
<221>
       SITE
<222> (1)..(5)
<223> Positions 1-5 are D-amino acids
<220>
<221>
       SITE
<222>
       (5)..(5)
<223> AMIDATION=The C-terminus is Amidated
<400> 9
Lys Leu Phe Arg Ala
<210> 10
<211>
      6
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<223>
       XMP.718
<220>
<221> SITE
<222>
      (1)..(1)
<223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222>
      (6)..(6)
<223> Position 6 is substituted with 1- naph-ala
<220>
<221> SITE
<222> (1)..(6)
<223> Positions 1-6 are D-amino acids
```

```
<220>
<221> SITE
<222> (6)..(6)
<223> AMIDATION=The C-terminus is Amidated
<220>
<221>
       SITE
<222>
       (3)..(3)
<223> Position 3 is substituted with homophenylalanine
<400> 10
Lys Leu Phe Arg Lys Ala
<210> 11
<211> 10
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<223> XMP.365
<220>
<221> SITE
<222> (1)..(10)
<223> Positions 1-10 are D-amino acids
<220>
<221> SITE
<222>
      (10)..(10)
<223> AMIDATION=The C-terminus is Amidated
<400> 11
Lys Trp Leu Ile Gln Leu Phe His Lys Lys
<210> 12
<211> 9
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<223> XMP.629
<220>
<221> SITE
<222> (5)..(5)
<223> /label=Substituted-Ala note=position 5 is 1- naph-ala
```

```
<220>
 <221> SITE
 <222>
       (9)..(9)
 <223> /label=Substituted-Ala note=position 9 is 1- naph-ala
 <220>
 <221>
       SITE
 <222>
        (1)..(9)
        /Label=D Amino Acids/note=Positions 1-9 are D-amino acids
 <223>
 <220>
 <221> SITE
 <222>
       (9)..(9)
<223> AMIDATION /label=Amidation note=The C-terminus is Amidated
<400> 12
Lys Leu Phe Arg Ala Gln Ala Lys Ala
<210> 13
       10
<211>
<212>
       PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
\langle 223 \rangle XMP.\overline{6}76
<220>
<221> SITE
<222>
       (2)..(2)
<223> /label=Substituted-Ala note=position 2 is 1- naph-ala
<220>
<221> SITE
<222>
       (8)..(8)
<223>
       Position 8 is substituted with 2-thienyl-ala
<220>
<221> SITE
<222> (3)..(3)
<223> Position 3 is substituted with norvaline
<220>
<221> SITE
<222> (6)..(6)
<223> Position 6 is substituted with norvaline
<220>
<221> SITE
<222> (1)..(1)
<223> Position 1 is D-amino acids
```

```
<220>
<221> SITE
<222> (9)..(10)
<223> Positions 9-10 are D-amino acids
<220>
<221> SITE
<222> (2)..(8)
<223> Positions 2-7 are L-amino acids
<400> 13
Lys Ala Val Ile Gln Val Val Ala Lys Lys
                                       10
<210> 14
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<223> XMP.768
<220>
<221> SITE
<222> (1)..(8)
<223> Positions 1-8 are D-amino acids
<220>
<221> SITE
<222>
        (5)..(5)
<223> Position 5 is substituted with 4-biphenyl-ala
<220>
<221> SITE
<222> (1)..(1) <223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222> (8)..(8)
<223> AMIDATION=The C-terminus is Amidated
<400> 14
Lys Leu Phe Arg Ala Gln Ala Lys
<210> 15
<211> 7
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC FEATURE
<223> XMP.851
<220>
<221> SITE
<222> (1)..(1)
<223> Position 1 is derivatized at the alpha-amino group with
       4-biphenyl carbonyl
<220>
<221> SITE
<222> (5)..(5)
<223> Position 5 is substituted with 1- naph-ala
<220>
<221>
       SITE
<222> (1)..(7)
<223> Positions 1-7 are D-amino acids
<220>
<221>
       SITE
<222>
      (7)..(7)
<223> AMIDATION=The C-terminus is Amidated
<400> 15
Lys Leu Phe Arg Ala Gln Ala
               5
```